

- a unique, realistic timber grain polymer.
- Robust, low maintenance, long-lasting.
- Numerous colour, size and layout combinations available.

www.glasdon.com

Glasdon Gateway creates an attractive, highly visible display for signage, perfect for entrance areas to premises and approaches to towns and villages. It can also be used for traffic calming purposes, by alerting motorists of a speed change and encouraging drivers to slow down.

Glasdon Gateway is manufactured from Everwood™ material, a unique, realistic timber grain polymer. Standard wooden gateways remain popular, but without regular treatment wood will split and rot. Non-porous Everwood material will never need painting and will not rot, warp or crack.





Everwood™ Material

Everwood is a specially formulated blend of Durapol^{®#} material, which emphasises the grain-like appearance of timber. Unlike timber it requires no regular surface treatments such as staining or painting and the material will be unaffected by brine, bacteria, rot, mould and insects. Everwood is easy to clean, requires low maintenance and can be recycled at the end of its life.

Like Durapol, it has been formulated to withstand extremes of temperature and is impact-tested in our Quality Assurance Laboratory as part of our BS EN ISO 9001:2008 test procedure.



Style your own Glasdon Gateway...

Glasdon Gateway can be configured in over 120 different layouts!

Here's a few examples:







Please

contact us to see all

Customise your own Glasdon Gateway choosing from the following options:

Colours:

Light Oak

Dark Oak

White


Height

1800mm (1300mm above ground) or 2300mm (1800mm above ground)

Ornate model: 2300mm

Recommended depth below ground: 500mm

Glasdon Gateway can be easily cut down to the desired height.



Width

960mm, 1500mm or 2000mm Ornate model: 1690mm

日月月

Number of Slats

Available with 1, 2, 3 or 4 slats.

Crossbar

Creates a traditional farm gate appearance.


Signage

We can supply you with custom-made signage to your specification. If you'd prefer, you can use your own signage, either existing or from your usual supplier: if that's the case, we recommend you send us the exact dimensions of the sign so we can ensure a perfect fit.

Fixing

Below Ground Extended Base.

We strongly recommend that all models are installed 500mm below ground level into concrete foundations (please refer to installation instructions). To create a neat finish, the concrete foundations may be topped with turf or tarmacadam to match the surrounding area (avoid contact with hot tarmacadam as this will seriously impair the performance of the product).











More products in the Everwood™ Range.

Please contact our sales office for details.

HOW TO ORDER www.glasdon.com





Telephone: 01253 600410



Fax: 01253 792558



E-Mail: sales@glasdon-uk.co.uk



Glasdon[®]

Glasdon II K Limited

Preston New Road BLACKPOOL Lancashire FY4 4UL

Tel: (01253) 600410 Fax: (01253) 792558 e-mail: sales@glasdon-uk

e-mail: sales@glasdon-uk.co.uk web: www.glasdon.com

FREE DELIVERY* IN MAINLAND UK & NORTHERN IRELAND

Our national distribution network ensures prompt delivery in mainland UK and Northern Ireland. All our prices are carriage-free on the mainland and Norther Ireland, only VAT will be added.

MINIMUM ORDER CHARGE

To help offset the cost of packing, administration and delivery, there is a small charge of £5 on orders below the value of £50.









